

RECEIVED

# **NAVARRO COUNTY AUDITOR'S OFFICE**

300 W 3<sup>rd</sup> Ave., Suite 4 Corsicana, TX 75110 Natalie Robinson, First-Assistant
Patty Wells, Assistant
Lisa Clay, Assistant
Jan Wise, Assistant
Krystal McCollum, Assistant

Terri Gillen, County Auditor

Phone: (903) 654-3095

e-mail: auditor@navarrocounty.org

Fax: (903) 654-3097

### INTEROFFICE MEMO

	INTEROFFICE MEMO					
The a	ttached item is being returned for the following reasons:					
X	Item incurred before purchase order issued					
, a	Purchase order number is inconsistent with invoice					
O	Amount billed does not match the purchase order					
ū	Vendor on purchase order does not match invoice					
	Insufficient documentation to process payment					
ш	Signature or date not present					
ū	System shows invoice paid					
u	Budget Account Number (Line Item) is missing – Acct #					
u	Insufficient budget in Line Item					
u	Payment Request inconsistent with County Policy					
ú	Other					
paym	se provide the additional documentation or explanation necessary to process this sent request. This notice must remain attached to the payment request.					
Additional explanation: NO P.O. OWAINED						
follo	Department Head or Elected or Appointed Official must sign this form rming notification that the Navarro County Purchasing Policy was not wed on this purchase.  11-30-2023 Date					



**Remit To** 

**Lochridge Priest** 

2901 E. INDUSTRIAL BLVD Waco , TX 76705 (254) 772-0670

# RECEIVED

NOV 3 0 2023

Invoice No.

LS62973

NAVARRO LOUNTY AUDITOR'S OFFICE

Invoice For

Bill To

Service Call Job #31434806 (10/04/2023 -

11/08/2023)

Navarro County
Courthouse #22079

300 West 3rd Avenue STE

4

Corsicana, TX 75110

Sherry Dowd

Transaction Date
Payment Terms
Service Location

11/10/2023 12/10/2023 (Net 30) Navarro County Courthouse 300 West 3rd Avenue

Corsicana, TX 75110

PAVIS DEMPSETY

avs

**Notes** 

Payment Due: Net 30 days

Travis called in stating that they are still having issues with the ac unit not coming on. He said that Brandon recently went out and replaced the control board and it's still not working properly.

POC (979)820-3592

Technicians: Brandon Conrad #46

Clearing schedule

Contacted Travis and confirmed appointment

Arrived and setup for stepper motor replacement

Replaced motor

Started unit to test board control

System is responding and temps change according to demand

Need to reassemble the unit

Reassembled unit, tied in drain, opened drain line valve, and strapped insulation for piping and drain.

Switched unit to cool and turned down thermostat. Unit is delivering 48 degree air.

This job is complete

Not able to complete because we are waiting on additional parts

Contacted Travis and confirmed access

Arrived and checked in

Case # - 2117841

Branch 1-2-5

Provides gas through refnet to 2 units

Verified branch settings correct, verified comm voltage is correct, no loose connections, ball valves open. Thermostats are paired, contacted Daikin to carry on with case to resolve no cool on the one fan coil.

Pcb not driving eev, confirmed eev ohms good, and valve body opens under pressure. Replace pcb and stepper motor. Parts to be ordered

ILGIII		<u> </u>		AIIIL
Fees				\$75.00
Labor	·			\$1,470.00
Parts		s.		\$974.67
			GRAND TOTAL	¢2 540 67

#### GRAND IOIA

\$2,519.67

# **Terms & Conditions**

Submit Payment to: Lochridge-Priest, Inc., PO Box 154187, Waco, Texas 76715. If we have failed to meet your needs or expectations in any way, please let us know. We appreciate your business.

- TACLA24360C TACLA28379C TACLA28343C TECLA32275 Regulated by The Texas Department of Licensing and Regulation, P.O. Box 12157, Austin, Texas 78711 1-800-803-9202 512-463-6599 www.tdir.texas.gov
- M-41036 Douglas Reinke
- Regulated by the Texas State Board of Plumbing Examiners P.O. Box 4200, Austin, Texas 78765 (512) 458-2145