

21

# RECEIVED

MAR 23 2026

DATE: March 10, 2026



NAVARRO COUNTY  
AUDITOR'S OFFICE

This quote expires 30 days from the date issued.

NAVARRO COUNTY PCT 1     ATTN COUNTY AUDITOR  
Attn : Jason Grant

*1st CHOICE*

300 W 3RD AVE STE 4  
CORSICANA, TEXAS 75110

One (1) New Caterpillar Inc Model: 140 JOY Motor Grader with all standard equipment in addition to the additional specifications listed below from Sourcewell Contract # 011723

SALE PRICE	\$374,000.00
EXT WARRANTY	Included
<b>TOTAL PRICE</b>	<b>\$374,000.00</b>
<hr/>	
TRADE ALLOWANCE	(\$66,943.00)
<b>SUB TOTAL</b>	<b>\$307,057.00</b>
HET (0.181%)	\$555.77
<b>TOTAL PURCHASE PRICE</b>	<b>\$307,612.77</b>

**WARRANTY**

Standard Warranty:     12 Month/Unlimited Hours Total Machine  
Extended Warranty:     36 Months or 5,000 Hour Powertrain + Hydraulics + Technology

**TRADE DETAILS**

Model	Make	Serial Number	Year	Trade Allowance
120M	CATERPILLAR INC (AA)	B9N00265	2009	\$35,000.00
120M	CATERPILLAR INC (AA)	M9C00264	2012	\$31,943.00

Delivery : Approximately 30 – 60 days after receipt of order. Payment on Receipt of Invoice.

DESCRIPTION	REF.#
140 15B MOTOR GRADER	577-3021
LANE 3 ORDER	0P-9003
MOLDBOARD, 14' PLUS	243-6704
LIGHTS, ARM, FOLD DOWN	536-9969
JOYSTICK CONTROLS, ADVANCED	458-8701
ACCUMULATORS, BLADE LIFT	358-9338
DECALS, ENGLISH (U.S.)	442-9940
GLOBAL ARRANGEMENT	385-9294
ROLL ON-ROLL OFF	0P-2265
TRANSMISSION, AUTOSHIFT	396-3515
LIGHTS, WORKING, PLUS, HALOGEN	395-1967
BASE + 1 (RIP)	385-8094
TOOTH, RIPPER, STRAIGHT	631-5599
STORAGE PROTECTION	0P-2918
CONTROL, AUTO ARTICULATION-DEMO	483-2354
WEATHER, STANDARD	353-3316
STARTER, ELEC, EXTREME DUTY	395-3547
RIPPER ARRANGEMNT	637-6813
FUEL ANTIFREEZE, -25C (-13F)	0P-3978
CAB, PLUS (INTERIOR)	397-7457
SERIALIZED TECHNICAL MEDIA KIT	421-8926
GUARD GP, HITCH	323-6970
MIRRORS, OUTSIDE MOUNTED	233-3295
SEAT BELT	394-1492
LIGHTS, ROADING, HALOGEN	421-7810
COOLANT, 50/50, -35C (-31F)	469-8157
DRAIN, HIGH SPEED, ENGINE OIL	501-1163
TANK, FUEL, STANDARD	540-2373
CIRCLE SAVER	521-3250
ENGINE, TIER IV	567-4685
PUSH BLOCK, HEAVY	367-6842
PRECLEANER, NON SY-KLONE	380-6774
CAB, PLUS (STANDARD GLASS)	385-9554
HEADLIGHTS, FRONT, LOW, HALOGEN	308-9370
TIRES, 17.5R25 BS VKT * D2A MP	252-0775
GUARD, TRANSMISSION	366-2459
FAN, STANDARD, TND	542-4660
CUTTING EDGE, 14' BLADE	233-7143
END BITS, OVERLAY	233-7160
TOP ADJUST DRAWBAR	657-8163

DESCRIPTION	REF.#
REAR CAMERA INTEGRATED DISPLAY	641-6876
PRODUCT LINK, DUAL PLE783	647-9137
CAT GRADE ARO, TOP ADJUST	657-8173
140 CPM	646-7612

## STANDARD EQUIPMENT

---

### POWERTRAIN

Air cleaner, dual stage dry type radial seal with service indicator and automatic dust ejector  
Air-to-air after cooler (ATAAC)  
Belt, serpentine, automatic tensioner  
Brakes, oil disc, four-wheel, hydraulic  
Demand fan, hydraulic  
Differential, lock/unlock, Auto  
Drain, engine oil, ecology

Electronic over-speed protection  
Parking brake, multi-disc, sealed and oil cooled.  
Sediment drain, fuel tank.  
Transmission, 8 speed forward and 6 speed reverse, power shift, direct drive  
VHP Plus (Variable Horse Power Plus)

### ELECTRICAL

Alarm, back-up  
Alternator, 150 ampere, sealed  
Batteries, maintenance free, heavy duty, 1125 CCA  
Breaker panel, ground accessible  
Electrical hydraulic valves  
Electrical system, 24V

Grade Control Ready (Cab harness, software, electrical hydraulic valves, bosses and brackets)  
Lights, reversing  
Lights, roading, roof-mounted, stop and tail, LED  
Starter, electric

### OPERATOR ENVIRONMENT

Air Conditioning with heater  
Articulation, automatic return to center  
Centershift pin indicator  
Display, digital speed and gear  
Doors, left and right side with wiper  
Gauge, machine level  
Gauges (digital) inside the cab (includes fuel, articulation, engine coolant temp, engine RPM, and hydraulic oil temp, DEF/AdBlue)  
Joystick, adjustable armrests  
Joystick gear selection, hydraulic power steering hydraulic controls (right/left, blade lift w/ float position, blade sideshift and tip, circle drive, centershift, front wheel lean and articulation and steering)  
Lights, night time cab

10" Digital operator information system  
Meter, hour, digital  
Mirror, inside rearview, wide angle  
Power port, 12V  
Radio ready, entertainment  
ROPS cab, sound suppressed - 69dB(A) - ISO 6394  
Seat, cloth-covered, comfort suspension  
Storage area for cooler/lunchbox  
Throttle control, electronic  
Windows laminated glass:  
-Fixed front with intermittent wiper  
-Door with intermittent wipers (3)  
Windows tempered:  
-Left and right side wipers  
-Rear with intermittent wiper  
Cab storage

### TECHNOLOGY PRODUCTS

#### RADIOS

Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:

#### PRODUCT LINK

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:

<https://dealer.cat.com/en/products/technology.html>

## SAFETY AND SECURITY

Clutch, circle drive slip  
Doors, 2 engine compartment, (two left hand, two right hand) locking  
Doors, 2 service, left and right locking  
Ground level engine shutdown  
Hammer (emergency exit)

## TIRES, RIMS, AND WHEELS

A partial allowance for tires on 254mm x 609.6mm (10" x 24") multi-piece

## FLUIDS

Antifreeze

## OTHER STANDARD EQUIPMENT

Accumulators -brake -dual certified  
Fluid check, ground level  
Fuel tank, 398 liters (105 gallon)  
Ground level fueling  
DEF/AdBlue Tank, 21 liters (5.5 gallon)  
Hydraulic lines for base functions  
Pump, hydraulic, high capacity

<https://dealer.cat.com/pl/certification>

Horn, electric  
Lockout, hydraulic implement (for roading and servicing)  
Seat belt, retractable 76.2 (3")  
Secondary steering  
Tandem walkway/guards

rims is included in the base machine price and weight.

Extended life coolant -35C/-30F

(98cc / 15 cu in)  
Radiator, cleanout access (both sides with swing doors)  
SOS ports - engine -hydraulic -transmission -coolant -fuel  
Tool box  
Debris guard